

Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 1 di 11

Safety data sheet

SEC	FION 1 Identification of the sul	hstance/mixture and of the company/enterprise				
SEC.	ECTION 1. Identification of the substance/mixture and of the company/enterprise					
1.1	Product identifier					
	Code:	ESS05112005ROS				
	Product name	OIÈ RESSENZA ROSA				
	Description	Super-concentrated watery mixture of natural and synthetic substances with				
	Description	polyvalent function.				
1.2	Recommended use and restr	Recommended use and restrictions on use				
	Use	Professional use only.				
		To be used for detergency, sanitation, deodorization, fragrance giving and dus removal from environments and surfaces.				
		Usage: 1 spray (1 ml) of product in 1 1 of water to clean and deodorize any				
		washable surface; 1 spray into drains to neutralize unpleasant odours; sprayed				
		one time on a cloth to dust furniture and frequently used objects.				
		RESTRICTIONS ON USE:				
		DO NOT directly spray it in the environment, but vaporize it from a distance o				
		20 cm on a surface/tissue/water container to minimize the possible insurgence of respiratory allergenic reactions.				
		DO NOT breath the vapour or the aerosol of pure product.				
		It is recommended NOT to use the product for purposes other than those				
		provided.				
1.3	Details of the supplier of the	safety data sheet				
	Name	RUBINO CHEM S.r.l.				
	Full address	Via Vigili del Fuoco Caduti in Servizio, 14/s INT.4				
	District and Country	70026 Modugno				
		tel. (+39) 080 5035348				
		Fax (+39) 080 5008545				
	E-mail of the responsible person for the Safety Data Sheet	customerservice@rubinochem.it				
	Manufacturer	RUBINO CHEM S.r.l.				
1.4	Emergency telephone number	ar				
1.7	Emergency telephone number	United Kingdom:				
	For urgent inquiries refer to:	NHS 111 service if you urgently need medical help or advice but it's not a life-				
	For argent inquiries ferei to.	threatening situation. For immediate, life-threatening emergencies, continue to call 999.				
SEC	ΓΙΟΝ 2. Hazards identification					
SEC.	1101 2. Hazarus identineation					
2.1	Classification of the substance	re or mixture				
∠ .1		ous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and				
	subsequent amendments and suppl provisions of EC Regulation 1907/20	ements). The product thus requires a safety datasheet that complies with the				
		ing the risks for health and/or the environment are given in sections 11 and 12 o				
	this sheet.					



Review n. 5 Reviewed 18/05/2021 Printed 18/05/2021 Page 2 di 11

Skin sensitization, category Hazardous to the aquatic chronic toxicity, category Label elements. Hazard labelling pursuan Hazard pictograms:	e environment,	H317 H412 ion 1272/2008 (CLP)	Harmful to aq effects.	allergic skin reaction. quatic life with long lasting
chronic toxicity, category Label elements. Hazard labelling pursuan	7 3		effects.	quatic life with long lasting
Hazard labelling pursuan	t to EC Regulat	ion 1272/2008 (CLP)	and subsequent amend	
	t to EC Regulati	ion 1272/2008 (CLP)	and subsequent amend	
Hazard pictograms:			and subsequent amend	dments and supplements.
		<u>(i)</u>		
Signal words:		Warning		
Hazard statements:				
	H317	May cause an allergi	ic skin reaction.	
	H412	Harmful to aquatic 1	ife with long lasting e	ffects.
	EUH208	Coumarin, Hexyl Sa	licylate, Tetramethyl A	Acetyloctahydronaphthalenes,
Precautionary statements	:			
P102	*			
		 		
	-			
				C. II. DOIGON GENTED :
P333+P313+P312			medical advice / atten	tion. Call a POISON CENTER if
P362+P364			wash it before reuse.	
P501	Dispose of cor	ntents/container in acc	ordance to national la	W.
Other hazards.				
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.			centage greater than 0,1%.	
ON 3. Composition/i	nformation (on ingredients		
Substances				
	he product is a r	nixture.		
Mixtures				
Contains:				
Identification		Concentratio	on (%)	Classification EC 1272/2008 (CLP)
4,6,6,7,8,8- HEXAMETHYLCYCL	OPENTA-	1-5		Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410
	Precautionary statements: P102 P261 P280 P302+P352 P333+P313+P312 P362+P364 P501 Other hazards. On the basis of available DN 3. Composition/i Substances Irrelevant information. Ti Mixtures Contains: Identification 1,3,4,6,7,8-HEXAHYDE 4,6,6,7,8,8- HEXAMETHYLCYCL GAMMA-2-BENZOPY CAS 1222-05-5	Hazard statements: H317 H412 EUH208 Precautionary statements: P102 Keep out of th P261 Avoid breathir P280 Wear protectiv P302+P352 IF ON SKIN: P333+P313+P312 If skin irritatio you feel unwe P362+P364 Take off conta P501 Dispose of cor Other hazards. On the basis of available data, the product ON 3. Composition/information Substances Irrelevant information. The product is a r Mixtures Contains: Identification 1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLCYCLOPENTA- GAMMA-2-BENZOPYRAN CAS 1222-05-5	Hazard statements: H317 May cause an allergements EUH208 Contains: Linalool, Coumarin, Hexyl Sa Linalyl Acetate, Tetre Precautionary statements: P102 Keep out of the reach of children. P261 Avoid breathing vapours/ spray. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of wash with plenty of wash with plenty of wash with plenty of wash possible unwell. P362+P364 Take off contaminated clothing and possible possibl	Hazard statements: H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting e EUH208 Contains: Linalool, Limonene, Citronellol Coumarin, Hexyl Salicylate, Tetramethyl Linalyl Acetate, Tetrahydrolinalool. May



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 3 di 11

	HEXYL SALICYLATE		Skin Sens. 1 H317,
	CAS 6259-76-3	0,5-1	Aquatic Chronic 1 H410
	CE 228-408-6		riquate ememe i irii
	Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)-alkyldimethyl, chlorides CAS 68424-85-1 CE 207-325-2	0,25 – 0,5	Acute Tox. 4 H302, Skin Corr. 1B H314, Aquatic Acute 1 H400 M=1 Aquatic Chronic 1 H410
	3,7-dimethylocta-1,6-dien-3- ol CAS 78-70-6	0,1-0,5	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317,
	CE 201-134-4		
	CAS 5989-27-5 CE 227-813-5	0,1-0,5	Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410
_	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS / CE 915-730-3	0,1-0,5	Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410
	CITRONELLOLO CAS 106-22-9 203-375-0 CE	0,1-0,5	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319
	cis-2-tert-butylcyclohexyl acetate CAS 20298-69-5 CE 243-718-1	0,1-0,5	Aquatic Chronic 2 H411
	CAS 1335-46-2 CE 215-635-0	0,1-0,5	Skin Irrit. 2 H315, Eye Irrit. 2 H319 Aquatic Chronic 2 H411
	3,7-dimethyloctan-3-ol	0,1-0,5	Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319
-	CAS 78-69-3 CE 201-133-9		
	Linalyl acetate		Skin Irrit. 2 H315,
	CAS 115-95-7	0,1-0,5	Skin Sens. 1 H317, Eye Irrit. 2 H319



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 4 di 11

	CUMARINA CAS 91-64-5 CE 202-086-7		<0,1	Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Chronic 3 H412		
		hazard (H) phrases	he range. s is given in section 16 of the sheet.			
SECT	TION 4. First aid	measures				
4.1	Description of					
	EYES	opening the eyeli	lenses, if present. Wash immediately with particular distribution of the second	advice.		
	SKIN	advice/attention i	ninated clothing. Rinse skin with a mmediately. Wash contaminated clothing by	pefore using it again.		
	INHALATION	advice/attention i				
	INGESTION	Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.				
4.2		Most important symptoms and effects (acute and delayed)				
7.2	For symptoms and	effects caused by	the contained substances, see chap. 11.			
4.3	Indication in case of emergency of medical and special treatments Information not available.					
SECT	TION 5. Firefight	ing measures				
5.1	Extinguishing	media				
3.1	SUITABLE EXTINGUISHIN EQUIPMENT	Extinguishing leakage that	ng substances are: carbon dioxide and class not caught fire, water spray can be use trying to stem the leak.			
	UNSUITABLE EXTINGUISHIN EQUIPMENT	Do not use j Water is no	ets of water. t effective for putting out fires but can be event explosions.	be used to cool containers exposed to		
5.2			the substance or mixture			
3.2	HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.					
5.3	Advice for firefighters					
3.3	GENERAL INFORMATION In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.					
	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).					
SECT	ION 6. Accident	al release meas	ures			

Personal precautions, protective equipment and emergency procedures



Review n. 5 Reviewed 18/05/2021 Printed 18/05/2021 Page 5 di 11

6.1	Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.				
6.2	Environmental precautions The product must not penetrate into the sewer system or come into contact with surface water or ground water.				
6.3	Methods and material for containment and cleaning up Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.				
6.4	Reference to other sections Any information on personal protection and disposal is given in sections 8 and 13.				
SECT	TION 7. Handling and storage				
	Precautions for safe handling				
7.1	Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.				
7.2	Conditions for safe storage, including any incompatibilities Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.				
	Specific end use(s)				
7.3	Information not available.				
OF CI					
SECT	TION 8. Exposure controls/personal protection				
8.1	Control parameters				
	Information not available				
	Evnogues controls				
8.2	Exposure controls As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station.				
	HAND PROTECTION Protect hands with category III work gloves (see standard EN 374). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN				
	ISO 20344). Wash body with soap and water after removing protective clothing.				



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 6 di 11

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

ENVIRONMENTAL EXPOSURE CONTROLS

Possibility of hazardous reactions.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECT	SECTION 9. Physical and chemical properties.			
9.1	Information on basic physical and chemical properties			
	Appearance	WHITE LIQUID		
	Odour	SCENTED FRAGRANCES		
	Odour threshold	Not available		
	рН	6.6 ± 0.1		
	Meltingpoint / freezingpoint	Not available		
	Initial boiling point or boling range	$100.5 \pm 0.5 (^{\circ}\text{C})$		
	Flash point	> 60 °C		
	Evaporation rate	Not available.		
	Flammability (solid, gas)	Not available.		
	Upper/ Lower inflammability or	Not available.		
	explosive limit			
	Vapour pressure	Not available.		
	Vapour density	1.003 ± 0.001		
	Relative density	Not available.		
	Solubility	Solubility in water		
	Partition coefficient: n-octanol/water	Not available.		
	Auto-ignition temperature	Not available.		
	Decomposition temperature	Not available		
	Viscosity	1.8 ± 0.1		
	Explosive properties	Not available.		
	Oxidising properties	Not available.		
9.2	Other information			
7.2	VOC (Directive 1999/13/CE)	0.07 ± 0.02 (g COV / g sample)		
		(equal to: $7\% \pm 2\%$)		
SECT	SECTION 10. Stability and reactivity.			
10.1	Reactivity			
	There are no particular risks of reaction w	vith other substances in normal conditions of use.		
10.2	Chemical stability			
	The product is stable in normal condition	s of use and storage.		



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 7 di 11

Conditions to avoid. None in particular. However the usual precautions used for chemical products should be respected.	10.2					
None in particular. However the usual precautions used for chemical products should be respected.	10.3	No hazardous reactions are foreseeable in normal conditions of use and storage.				
Incompatible materials. Information not available	10.4					
Information not available.		None in particular. However the usual precautions used for chemical products should be respected.				
Information not available	10.5	Incompatible materials.				
Information not available.						
Information not available.	10.6	Hazardous decomposition products.				
Information on toxicological effects In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefor necessary to take into account the concentration of the individual hazardous substances indicated in section 3, the evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: 100	10.0					
Information on toxicological effects In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefor necessary to take into account the concentration of the individual hazardous substances indicated in section 3, the evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: 100	CECT	ION 11 Taxical acid information				
In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefor necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena, whose intensity varies according to illness seriousness and effected areas. Erythemas, edemas and exudative phenomena, whose intensity varies according to illness seriousness and effected areas. Erythemas, edemas and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness seriousness and exudative phenomena, whose intensity varies according to illness. The product contains and exudative phenomena prevail during the chronic phenomena, whose intensity varies according to illness. The product contains and exudative phenomena, whose intensity varies according to illness. The product contains and exudative phenomena, whose intensity varies according to illness. Substance: 1.D50 (Oral) 4400 m	SECI	ION 11. Toxicological information				
the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefor necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) > 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 4500 mg/kg Rat LD50 (Oral) 4400 mg/kg Rat LD50 (Oral) > 4400 mg/kg Rat LD50 (Oral) > 5000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oran) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)_CYCLOHEXYL ACETATE LD50 (Oran) > 5 mg/kg Robbit Substance: 2-(1,1-DIMETHYLETHYL)_CYCLOHEXYL ACETATE LD50 (Oran) > 5 mg/kg Robbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oran) > 5000 mg/kg Rat LD50 (Oran) > 5000 mg/kg Rat LD50 (Oran) > 5000 mg/kg Rat	11.1					
necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance's and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) > 5000 mg/kg Rat LD50 (Orale) 3450 mg/kg Rabbit Substance: 0-LIMONENE LD50 (Oral) 196 mg/kg Mouse Substance: 1-LD50 (Oral) 4400 mg/kg Rat LD50 (Dermail) > 2000 mg/kg Rabbit Substance: 1-LD50 (Oral) 3000 mg/kg Rat LD50 (Orali) 5000 mg/kg Rat LD50 (Orali) 5000 mg/kg Rat LD50 (Orali) 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLEYCLOHEXYL ACETATE LD50 (Oranal) > 5 mg/kg Rodent-Rabbit Substance: 1-JA,6,7,8-HEXAHYDRO-4,6,6,7,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oran) > 3000 mg/kg Rat LD50 (Oran) > 6500 mg/kg Rat						
evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance:						
Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Data) > 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 2650 mg/kg Rabbit Substance: OUMARIN LD50 (Oral) 196 mg/kg Mouse Substance: D-LIMONENE LD50 (Oral) 4400 mg/kg Rat LD50 (Oral) > 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Orani) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermail) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Orani) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Orani) > 3000 mg/kg rat LD50 (Orani) > 6500 mg/kg Rat						
areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substances and may cause allergic reactions. Toxicological information about component substances: Substance:						
edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) >5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 3450 mg/kg Rat LD50 (Orale) 2650 mg/kg Rabbit Substance: COUMARIN LD50 (Oral) 196 mg/kg Mouse Substance: D-LIMONENE LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oran) 5000 mg/kg Rat LD50 (Oran) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) > 3000 mg/kg Rat LD50 (Oral) > 3000 mg/kg Rat						
Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) >5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: CTTRONELLOL LD50 (Orale) 3450 mg/kg Rat LD50 (Dermal) 2650 mg/kg Rabbit Substance: COUMARIN LD50 (Oral) 196 mg/kg Mouse Substance: D-LIMONENE LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oral) 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)-CYCLOHEXYL ACETATE LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)-CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oran) > 3000 mg/kg Rat LD50 (Dermal) > 3000 mg/kg Rat		edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according				
This product contains sensitizing substance/s and may cause allergic reactions. Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Dermal) >5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: CITRONELLOL LD50 (Orale) 3450 mg/kg Rat LD50 (Dermal) 2650 mg/kg Rabbit Substance: COUMARIN LD50 (Oral) 196 mg/kg Mouse Substance: D-LIMONENE LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Dermal) > 6000 mg/kg Rat LD50 (Dermal) > 3000 mg/kg Rat		to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase.				
Toxicological information about component substances: Substance: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) > 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: CITRONELLOL LD50 (Orale) 3450 mg/kg Rat LD50 (Dermal) 2650 mg/kg Rabbit Substance: COUMARIN LD50 (Oral) 196 mg/kg Mouse Substance: D-LIMONENE LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oran) 5000 mg/kg Rat LD50 (Oran) 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)-CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oran) 3000 mg/kg Rat LD50 (Dermal) 5000 mg/kg Rat						
Substance:		This product contains sensitizing substance/s and may cause allergic reactions.				
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE LD50 (Oral) >5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance:		Toxicological information about component substances:				
LD50 (Oral) >5000 mg/kg Rat		Substance:				
LD50 (Oral) >5000 mg/kg Rat		1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE				
Substance:						
CITRONELLOL						
CITRONELLOL		Substance:				
LD50 (Orale) 3450 mg/kg Rat LD50 (Dermal) 2650 mg/kg Rabbit						
Substance: COUMARIN						
COUMARIN		LD50 (Dermal) 2650 mg/kg Rabbit				
Substance: D-LIMONENE						
LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit		LD50 (Oral) 196 mg/kg Mouse				
LD50 (Oral) 4400 mg/kg Rat LD50 (Dermal) > 2000 mg/kg Rabbit		Substance:				
LD50 (Oral) 4400 mg/kg Rat 2000 mg/kg Rabbit 2000 mg/kg Rabbit Substance: 4-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oral) 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat						
LD50 (Dermal) > 2000 mg/kg Rabbit						
A-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oral) 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat		LD50 (Dermal) > 2000 mg/kg Rabbit				
A-TERT-BUTYLCYCLOHEXYL ACETATE LD50 (Oral) 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit Substance: 2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit Substance: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat		Substance:				
LD50 (Oral) 5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit						
LD50 (Dermal) > 5000 mg/kg Rabbit						
2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit						
2-(1,1-DIMETHYLETHYL)CYCLOHEXYL ACETATE LD50 (Dermal) > 5 mg/kg Rodent-Rabbit		Substance:				
LD50 (Dermal) > 5 mg/kg Rodent-Rabbit						
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat						
1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA-GAMMA-2-BENZOPYRAN LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat		Substance				
LD50 (Oral) >3000 mg/kg rat LD50 (Dermal) >6500 mg/kg Rat						
LD50 (Dermal) >6500 mg/kg Rat						
LD50 (Inhalation) >3000 mg/kg Rat		LD50 (Dermal) >6500 mg/kg Rat				
		LD50 (Inhalation) >3000 mg/kg Rat				



Review n. 5 Reviewed 18/05/2021 Printed 18/05/2021 Page 8 di 11

	Substance:					
	BENZOIC ACID, 2-HYDROXY-, 2	-HEXYL ES	ГER			
	LD50 (Oral) >5000 mg/kg Rat LD50 (Dermal) > 5000 mg/kg Rabbit					
			oit			
SECT	TION 12. Ecological information	•				
This pr	oduct is dangerous for the environment a	and the aquation	c organisms with long	term negative effects.		
12.1	Toxicity					
	CITRONELLOL	LC50	Fish	14,66 mg/l/96h	Leuciscus idus	
		EC50	Crustacean	17 mg/l/48h	Daphnia magna	
		EC50	Algae / Aquatic Plants.	2,4 mg/l/72h	Scenedesmus subspicatus	
	CAMPHENE	LC50	Fish	0,72 mg/l/96h	Danio rerio; OECD 203	
		EC50	Algae / Aquatic Plants	> 1000 mg/l/72h	OECD 201	
	D-LIMONENE	LC50	Fish	33 mg/l/96h	P.promelas	
		EC50	Crustacean	69,6 mg/l/48h	Daphnia magna	
12.2	Persistence and degradability Information not available.					
12.3	Bioaccumulative potential 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8 HEXAMETHYLCYCLOPENTA-G BENZOPYRAN		Partition o	coefficient: n-octanol/wa	ter: 2	
12.4	Mobility in soil		-			
	Information not available.					
12.5	Results of PBT and vPvB assessment On the basis of available data, the pro		contain any PBT or vi	PvB in percentage greate	er than 0,1%.	
12.6	Other adverse effects			1 0 0		
	Information not available					
SECT	TION 13. Disposal consideration	S.				
13.1	Waste treatment methods. Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.					
	CONTAMINATED PACKAGING		nated packaging must onal waste manageme	be recovered or disposed nt regulations.	d of in compliance	
SECT	TION 14. Transport information	•				
14.1	UN number					
2	Not applicable.					
14.2	UN proper shipping name					
	Not applicable.					



Review n. 5 Reviewed 18/05/2021 Printed 18/05/2021 Page 9 di 11

14.3	Transport hazard class(es)			
	Not applicable.			
14.4	14.4 Packing group.			
	Not applicable.			
14.5	Environmental hazards			
1	Not applicable.			
14.6				
14.0	Special precautions for user Not applicable.			
14.7	Transport in bulk according to Annex	II of MARPOL73/78 and the IBC Code		
	Information not relevant.			
SECT	TION 15. Regulatory information			
15.1		al regulations/legislation specific for the substa	ince or	
	mixture.		None	
	Seveso Category	s contained under Annex 17 Regulation (EC) 1907/2006	None Product:	
	Restrictions on the product of substances	s contained under Annex 17 Regulation (EC) 1907/2006	Point 3	
	Substances in Candidate List (Art. 59 RE	<u> </u>	None	
	Substances subject to authorization (Exh	· · · · · · · · · · · · · · · · · · ·	None	
	Substances subject to export notification	<u> </u>	None	
	Substances subject to the Rotterdam Con	None		
	Substances subject to the Stockholm Cor		None	
	Health Checks	ergo health checks, the risks related to 8/24/EC directive is		
	Ingredients in accordance with CE Regulation N.648/2004	Non-ionic and cationic surfactants (<5%); Perfumes (5%) Perfumes: Linalool, Limonene, Citronellol, Alpha-isomethyl Ionone Preservatives: Methylchloroisothiazolinone And Methylisothiazolinone 9) The surfactant (s) contained in this preparation is (are) with the biodegradability criteria established by Regu 648/2004 on detergents.	e, Coumarin, e (CAS 55965-84- in compliance with	
15.2	Chemical safety assessment	processed for the mixture and the substances it contains.		
OROG	· · · · · · · · · · · · · · · · · · ·	processed for the infature and the substances it contains.		
SECT	CION 16. Other information			
	Text of hazard (H) indications mentioned			
	Flam. Liq. 3	Flammable liquid, category 3		
	Flam. Sol. 1	Flammable solid, category 1		
	Acute Tox. 4	Acute toxicity, category 4		
	Asp. Tox. 1	Aspiration hazard, category 1		
	Eye Irrit. 2	Eye irritation, category 2		
	Skin Irrit. 2	Skin irritation, category 2		



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 10 di 11

Skin Sens. 1	Skin sensitization, category 1	
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1	
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category		
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H319	Causes serious eye irritation.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Legend:

- -ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- -CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labelling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY:

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament



Review n. 5 **Reviewed** 18/05/2021 **Printed** 18/05/2021 Page 11 di 11

2.	Regulation (EU) 1272/2008 (CLP) of the European Parliament
3.	Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4.	Regulation (EU) 2015/830 of the European Parliament
5.	Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6.	Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7.	Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8.	Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9.	Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10.	The Merck Index 10th Edition
11.	Handling Chemical Safety
12.	INRS - Fiche Toxicologique (toxicological sheet)
13.	Patty - Industrial Hygiene and Toxicology
14.	N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
15.	ECHA website
Note	for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: All sections