

Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 1 of 10

Safety data sheet

	Identification	
	Code:	PAV02101999AZZ
	Product name	SPRYX GEL PAVIMENTI E SUPERFICI AZZURRA
	Description	Super-concentrated watery mixture of natural and synthetic substances with polyvalent function.
2	Recommended use and restrictions	on use
	Use	Professional and domestic use.
		To be used for cleaning and perfuming floors and washable surfaces.
		Usage: fill the dosing cap to 10-15 ml and dilute
		in 10 litres of water.
		RESTRICTIONS ON USE:
		It is recommended NOT to use the product for purposes other than those provided.
3	Details of the supplier of the safety	data sheet
	Name	RUBINO CHEM S.r.l.
	Full address	Via Vigili del Fuoco Caduti in Servizio, 14/s INT.4
	District and Country	70026 Modugno
		tel. (+39) 080 5035348
		Fax (+39) 080 5008545
	E-mail of the responsible person for the Safety Data Sheet	customerservice@rubinochem.it
	Manufacturer	RUBINO CHEM S.r.l.
4	Emergency telephone number	
	<u> </u>	United Kingdom:
		NHS 111 service if you urgently need medical help or advice but it's not a life-threatening situation. For immediate, life-threatening emergencies, continue to call 999.
	For urgent inquiries refer to:	Germany:
		Tel. Notfallnummer (DE): +49 30-18412-3460 (BfR - Poison and Product Documentation Centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 2 of 10

	sheet.					
	Hazard classification and	indication:				
	Skin sensitization, categor			H317	May cause	an allergic skin reaction.
	Eye irritation, category 2	-		H319		ious eye irritation.
	Hazardous to the aquatic		ronic	H412		aquatic life with long lasting effects.
	toxicity, category 3	environment, er	nome	11112	Turring to	aquatic fire with long lasting effects.
.2	Label elements.				•	
.2		t to FC Regulation	on 127	2/2008 (CLP) as	nd subsequent an	nendments and supplements.
	Hazard pictograms:	t to Le Regulation	011 127	2/2000 (CL1) d.	na saosequent an	ienaments and supplements.
	razara pretogramo.					
	Signal words:		Warnii	nσ		
	Hazard statements:		** 41111	···5		
	Tazara statements.	H317	May c	ause an allergic	skin reaction	
				_	with long lasting	g effects
				s serious eye irr		5 0110013.
				•		Fert-Butylcyclohexyl Acetate, Amyl
					ice an allergic ro	
	Precautionary statements	:				
	P102	Keep out of the	reach o	of children.		
		Avoid breathing				
		_			roduct thoroughly	after use.
		Wear protective		_		
		IF ON SKIN: W			ter.	
						attention. Call a POISON CENTER if yo
	P362+P364	Take off contam	ninated	clothing and w	ash it before reus	e.
	P501	Dispose of cont	ents/co	ntainer in accor	dance to national	law.
.3	Other hazards.					
	On the basis of available	data, the product	t does 1	not contain any	PBT or vPvB in p	percentage greater than 0,1%.
ECT	TION 3. Composition/inform	ation on ingred	ients			
.1	Substances					
••	Irrelevant information. The	he product is a m	nixture			
.2	Mixtures					
.∠	Contains:					
	Identification			Concentr	ation (%)	Classification EC 1272/2008 (CLP)
	ISOTRIDECANOHOL ETHOXYLATED	-1 ,		•	1.5	Eye Dam. 1 H318 Harmful if swallowed H302
	CAS 69011-36-5			1-1	1,3	
	0,011-30-3					



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 3 of 10

	CE /			
	Sulphonic acids	8,		
	numbered)-alk hydroxy and C (even numbere	14-16	0,5-1	Skin Irrit. 2 H315
	alkene, sodium CAS 68439	salts		Eye Dam. 1 H318
	CE 931-5	34-0		
	2,2-dimetil-1,3- CAS 100-7	diossolan-4-ilmetanolo	0,5-1	Eye Irrit. 2 H319
	CAS 100-7 CE 202-8			
	3,7-dimethyloc	ta-1,6-dien-3-ol		Skin Irrit. 2 H315,
	CAS 78-70 CE 201-1		0,5-0,7	Skin Sens. 1 H317 Eye Irrit. 2 H319
	CAS 115-9 CE 204-1	5-7	0,1-0,5	Skin Sens. 1B H317 Skin Irrit. 2 H315 Eye Irrit. 2 H319
			0,1-0,5	Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410
	CE 214-9			
	4-TERT-BUTY ACETATE	CLCYCLOHEXYL	0,1-0,5	Skin Sens. 1B H317
	CAS 32210 CE 250-9		-	
	Amyl cinnamic			
	CAS 122-4 CE 204-5		0,1-0,5	Skin Sens. 1 H317 Aquatic Chronic 2 H411
	1.1	it is not included into the rang g of hazard (H) phrases is give		
SECTION	ON 4. First aid me	easures		
1 1	Description of	first aid measures		
4.1	EYES	Remove contact lenses, if pr the eyelids fully. If problem	persists, seek medical advice.	nty of water for at least 15 minutes, opening
	SKIN	Remove contaminated cloth	ning. Rinse skin with a shower nated clothing before using it again	immediately. Get medical advice/attention n.
	INHALATIO N	Remove to open air. If t advice/attention immediately		ninister artificial respiration. Get medical



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 4 of 10

	INGESTION Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.
4.2	Most important symptoms and effects, both acute and delayed For symptoms and effects caused by the contained substances, see chap. 11.
4.3	Indication in case of emergency of medical and special treatments Information not available.
SECT	ION 5. Firefighting measures
	Extinguishing media
5.1	SUITABLE EXTINGUISHING EQUIPMENT Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.
	UNSUITABLE EXTINGUISHING EQUIPMENT Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.
5.2	Special hazards arising from the substance or mixture
3.2	HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.
5.3	Advice for firefighters
	GENERAL INFORMATION In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in
CECE	combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).
SECT	ION 6. Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.
6.2	Environmental precautions
0.2	The product must not penetrate into the sewer system or come into contact with surface water or ground water.
6.3	Methods and material for containment and cleaning up
0.3	Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.
6.4	Reference to other sections
	Any information on personal protection and disposal is given in sections 8 and 13.
SECT	ION 7. Handling and storage
	Precautions for safe handling
7.1	Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation,



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 5 of 10

	vapours may accumulate at ground level and, if ignited, catch fire even at a d bunching of electrostatic charges. Do not eat, drink or smoke during use. Rem protective equipment before entering places in which people eat. Avoid leakage	ove any contaminated clothes and personal
7.2	Conditions for safe storage, including any incompatibilities	
7.2	Store only in the original container. Store in a well ventilated place, keep far a sparks and other sources of ignition. Keep containers away from any incompatible	
7.2	Specific end use(s)	
7.3	Information not available.	
SECTI	ION 8. Exposure controls/personal protection	
SECTI		
8.1	Control parameters	
	Normative references:	
	Italy Legislative Decree 9 April 2008, n.81	
	Switzerland Valeurs limitesd'exposition aux postes de travail 20	
	OEL EU Directive 2009/161/UE; Directive 2006/15/CE; Dir	rective2004/37/CE; Directive 2000/39/CE
	TLV-ACGIH ACGIH 2014	
	Substance: Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even not assigned)	numbered)-alkene, Sodium salts (CAS
	ECHA DNEL: General population via dermal systemic long-term	1295 mg/kg/die
	ECHA DNEL: General population via inhalation systemic long-term	45,04 mg/m3
	ECHA DNEL: General population via oral systemic long-term	12,95mg/kg/die
	ECHA DNEL: Workers via dermal systemic long-term	2158,33 mg/kg/die
	ECHA DNEL: Workers via inhalation systemic long-term	152,22 mg/kg/die
	PNECs Aquatic: ECHA	
	AQUA/FRESHWATER	0.042 mg/l
	AQUA/INTERMIT. RELEASES	0.042 mg/l
	AQUA/MARINE WATER	0.0042 mg/l
	SEDIMENT/FRESHWATER	2.025 mg/kg
	SEDIMENT/MARINE WATER	0.2025 mg/kg
	STP	4 mg/l
	PNECs Terrestrial: ECHA	
	soil	0.0061 mg/kg
	Legend:	
	(C) = CEILING; INALAB = Inhalable Fraction; RESPIR = Respirable Fraction;	TORAC = Thoracic Fraction.
	VND = identified hazard but no DNEL/PNEC available; NEA = no anticipated	
		•
0.2	Exposure controls	
8.2	As the use of adequate technical equipment must always take priority over per	rsonal protective equipment, make sure that
	the workplace is well aired through effective local aspiration. Personal protecti	
	that it complies with applicable standards.	1 1
	Provide an emergency shower with face and eye wash station.	
	HAND PROTECTION	
	When handling the pure product, use chemical-re	sistant protective gloves (EN
	374-1/EN374-2/EN374-3).	territoria Servica (Con-
	SKIN PROTECTION	
	Wear category II professional long-sleeved overalls and safety footwear (see Dis	rective 89/686/EEC and standard EN ISO
	20344). Wash body with soap and water after removing protective clothing.	
	RESPIRATORY PROTECTION	
1	If the threshold value (e.g. TIV TWA) is exceeded for the substance or one of	the substances present in the product use a

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 6 of 10

mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties.

	Information on basic physical and cher	
	Appearance	1
	Odour	SCENTED FRAGRANCES
	Odour threshold	Not available
		7.0 ± 0.1
	Melting point / freezing point	Not available
	Initial boiling point or boling range	$100.5 \pm 0.5 (^{\circ}\text{C})$
	Flash point	> 60 °C
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not available.
	Upper/ Lower inflammability or	Not available.
	explosive limit	
Ī	Vapour pressure	Not available.
	Vapour density	1.003 ± 0.001
	Relative density	Not available.
		Solubility in water
	Partition coefficient: n-octanol/water	Not available.
	<u> </u>	Not available.
	Decomposition temperature	
	_	Not available.
	Explosive properties	
	Oxidising properties	Not available.
	Other information	
	VOC (Directive 1999/13/CE)	Not available.

SECTION 10. Stability and reactivity.

22011	101 (100 Stability with 1 the cut / 100
10.1	Reactivity
	There are no particular risks of reaction with other substances in normal conditions of use.
10.2	Chemical stability
	The product is stable in normal conditions of use and storage.
10.3	Possibility of hazardous reactions.
	No hazardous reactions are foreseeable in normal conditions of use and storage.
	Conditions to avoid.



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 7 of 10

10.4	NI :	4:	1 <i>C</i> 11	41 1 1	-4.1
	None in particular. However the usual pre	ecautions u	sed for chemical	products should be respe	ected.
10.5	Incompatible materials. Information not available.				
10.6	Hazardous decomposition products.				
	Information not available.				
SECTI	ON 11. Toxicological information				
11.1	Information on toxicological effects				
	In the absence of experimental data for a substances it contains, using the criteria s take into account the concentration of toxicological effects of exposure to the pr Upon contact with skin, this product cau which repeatedly come into contact with vesicles, pustules, scurvies, ulcerations a and affected areas. Erythemas, edemas a ulcerations and skin thickening prevail du This product contains sensitizing substance	specified in the individual. oduct. uses sensitiant the sensitiand exudation and exudation the characteristics.	the applicable ridual hazardous zation (dermatitizing agent. Cutan ve phenomena, vive phenomena tronic phase.	egulation for classification substances indicated in s.). Dermatitis derives frecus lesions may includ whose intensity varies a prevail during the acute	on. It is therefore necessary to in section 3, to evaluate the om skin irritation on the areas e: erythemas, edemas, papules, ecording to illness seriousness
	Toxicological information about component	ent substan	ces:		
	Substance: ISOTRIDECANOHOL, ETHOXYLA LD50 (Oral) 500 mg/k Substance: Sulfonic acids, C14-16 (even numbered)	kg (ATE)	ydroxy and C14	-16 (even numbered)-a	lkene, Sodium Salt
	LD50 (Oral) 2079 mg.				
	LD50 (Dermal) 6300 mg. LD50 (inhalation) > 52 mg/				
	LD30 (lilitatation) > 32 mg/	<u>kg</u>			
SECTI	ON 12. Ecological information.				
This pro	oduct is dangerous for the environment and the	ne aquatic	organisms with lo	ong term negative effects	s on the aquatic environment.
12.1	Toxicity				
	Sulfonic acids, C14-16 (even	LC50	Fish	4,2 mg/l/96h	
	numbered)-alkane hydroxy and C14-	EC50	Dafnie	4,53 mg/l/48h	Daphnia magna
	16 (even numbered)-alkene, Sodium Salt	EC50	Algae	5,2 mg/l/72h	
12.2	Persistence and degradability Information not available				
12.3	Bioaccumulative potential				
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2-benzo	pyran	Partition coef	fficient: n-octanol/water:	2
12.4	Mobility in soil Information not available.				
12.5	Results of PBT and vPvB assessment On the basis of available data, the product		contain any PBT	or vPvB in percentage g	reater than 0,1%.



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 8 of 10

12.6	Other adverse effects		
	Information not available		
SECTI	ON 13. Disposal considerations.		
13.1	Waste treatment methods.		
13.1	Reuse, when possible. Product residues this product should be evaluated accord	ing to applicable regulations.	us waste. The hazard level of waste containing firm, in compliance with national and local
	CONTAMINATED PACKAGING	Contaminated packaging must be re national waste management regulation	covered or disposed of in compliance with ions.
SECTI	ON 14. Transport information.		
14.1	UN number Not applicable.		
14.2	UN proper shipping name Not applicable.		
14.3	Transport hazard class(es) Not applicable.		
14.4	Packing group. Not applicable.		
14.5	Environmental hazards Not applicable.		
14.6	Special precautions for user Not applicable.		
14.7	Transport in bulk according to Anne Information not relevant.	x II of MARPOL73/78 and the IBC	Code
SECTI	ON 15. Regulatory information		
15.1	Safety, health and environmental reg	ulations/logislation specific for the s	uhetanae au miytuus
13.1	Seveso Category	urations/registration specific for the s	None
	Restrictions on the product or substance (EC) 1907/2006	es contained under Annex 17 Regulat	
	Substances in Candidate List (Art. 59 R	EACH)	None
	Substances subject to authorization (Ex		None
	Substances subject to export notification		None
	Substances subject to the Rotterdam Co		None
	Sostanze soggette alla Convenzione di	Stoccolma	None
	Health Checks	that available risk-assessment data	gent must not undergo health checks, provided prove that the risks related to the workers' at the 98/24/EC directive is respected.
	Ingredients in accordance with CE Regulation N.648/2004	Between 1% and 5% non-ionic an Perfumes; Perfumes: Linalool,Amyl Cinnamal, Coumarir Preservatives:	d anionic surfactants; Between 5% and 15% n, Citronellol, Limonene, Eugenol.



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 9 of 10

			AZZUKKA	Page 9 of 10
			Methylchloroisothiazolinone And Methylisothiazo The surfactant(s) contained in this preparation is the biodegradability criteria established by Regu detergents.	(are) in compliance with with
	Chemical s	afety assessment		
15.2	No chemica	l safety assessment has been	processed for the mixture and the substances it cont	ains.
SECT	ION 16. Other	information		
	Text of haza	ard (H) indications mentioned	l in section 2-3 of the sheet:	
	Flam. Liq.	3	Flammable liquid, category 3	
	Flam. Sol.	1	Flammable solid, category 1	
	Acute Tox.	4	Acute toxicity, category 4	
	Asp. Tox. 1		Aspiration hazard, category 1	
	Eye Irrit. 2		Eye irritation, category 2	
	Skin Irrit.	2	Skin irritation, category 2	
	Skin Sens.	1	Skin sensitization, category 1	
	Aquatic Ac	cute 1	Hazardous to the aquatic environment, acute toxici	ty, category 1
	Aquatic Ch	ronic 1	Hazardous to the aquatic environment, chronic tox	icity, category 1
	Aquatic Ch	ronic 2	Hazardous to the aquatic environment, chronic tox	icity, category 2
	Aquatic Ch	ronic 3	Hazardous to the aquatic environment, chronic tox	icity, category 3
	H226		Flammable liquid and vapour.	
	H228		Flammable solid.	
			+	

Harmful if swallowed.

Harmful if inhaled.

Causes skin irritation.

Very toxic to aquatic life.

Harmful in contact with skin

Causes serious eye injuries.

Causes serious eye irritation.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Very toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

|--|

H302

H304

H312

H332

H318 H319

H315

H317

H400

H410

H411

H412

ADR: European Agreement concerning the carriage of Dangerous goods by Road

CAS NUMBER: Chemical Abstract Service Number

· CE50: Effective concentration (required to induce a 50% effect)

CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

DNEL: Derived No Effect Level

- EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labelling of chemicals

IATA DGR: International Air Transport Association Dangerous Goods Regulation

IC50: Immobilization Concentration 50%

- IMDG: International Maritime Code for dangerous goods

IMO: International Maritime Organization



Review n. 1 **Date review** 09/11/22 **Printed** il 09/11/22

Page 10 of 10

- INDEX NUMBER: Identifier in Annex VI of CLP

LC50: Lethal Concentration 50%

LD50: Lethal dose 50%

- OEL: Occupational Exposure Level

PBT: Persistent bioaccumulative and toxic as REACH Regulation

- PEC: Predicted environmental Concentration

- PEL: Predicted exposure level

PNEC: Predicted no effect concentration

REACH: EC Regulation 1907/2006

- RID: Regulation concerning the international transport of dangerous goods by train

TLV: Threshold Limit Value

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

TWA STEL: Short-term exposure limit

TWA: Time-weighted average exposure limit

- VOC: Volatile organic Compounds

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY:

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (UE) 707/2023 of the European Commission
- 11. Regulation (UE) 878/2020 of the European Commission
- 12. The Merck Index. 10th Edition
- 13. Handling Chemical Safety
- 14. INRS Fiche Toxicologique (toxicological sheet)
- 15. Patty Industrial Hygiene and Toxicology
- 16. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 17. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.