

Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 1 of 10

Safety data sheet

	Identification								
	Code:	PAV21062012SAP							
	Product name	SPRYX GEL PAVIMENTI E SUPERFICI SAPPHIRE							
	Description	Super-concentrated watery mixture of natural and synthetic substances with polyvalent function.							
	Recommended use and restrictions	Recommended use and restrictions on use							
	Use	Professional and domestic use.							
		To be used for cleaning and perfuming floors and washable surfaces.							
		Usage: fill the dosing cap to 10-15 ml and dilute							
		in 10 litres of water.							
		RESTRICTIONS ON USE:							
		It is recommended NOT to use the product for purposes other than those provided.							
3	Details of the supplier of the safety data sheet								
	Name	RUBINO CHEM S.r.l.							
	Full address	Via Vigili del Fuoco Caduti in Servizio, 14/s INT.4							
	District and Country	70026 Modugno							
		tel. (+39) 080 5035348							
		Fax (+39) 080 5008545							
	E-mail of the responsible person for the Safety Data Sheet	customerservice@rubinochem.it							
	Manufacturer	RUBINO CHEM S.r.l.							
4	Emergency telephone number								
	-	United Kingdom:							
		NHS 111 service if you urgently need medical help or advice but it's not a life-threatening situation. For immediate, life-threatening emergencies, continue to call 999.							
	For urgent inquiries refer to:	Germany:							
		Tel. Notfallnummer (DE): +49 30-18412-3460 (BfR - Poison and Product Documentation Centre)							

2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 2 of 10

	sheet.							
	Hazard classification and indication:							
	Skin sensitization, category 1	H317	May cause a	n allergic skin reaction.				
	Eye irritation, category 2	H319		us eye irritation.				
	Hazardous to the aquatic envir	ronment, chronic	H412		quatic life with long lasting effects.			
	toxicity, category 3							
2	Label elements.							
	Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.							
	Hazard pictograms:							
	Signal words:	Warni	ng					
	Hazard statements:	111111111111111111111111111111111111111						
		H317 May c	ause an allergic sk	in reaction.				
			ful to aquatic life w		effects.			
			s serious eye irritat					
			•		aphthalenes. May produce an allergic			
		reacti						
	Precautionary statements:							
	_	out of the reach						
		d breathing vapor		1 (1 11	0			
	I I		ntact with the proc	luct thoroughly a	after use.			
		r protective glove						
			ith plenty of water		' C II DOIGON GENTED 'C			
		in irritation or ras inwell.	sh occurs: Get me	dical advice / at	tention. Call a POISON CENTER if yo			
			l clothing and wash	it before reuse.				
		Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance to national law.						
3	Other hazards.							
	On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.							
CT	ION 3. Composition/information	on ingredients						
1	Substances							
	Irrelevant information. The product is a mixture.							
2								
<u> </u>	Mixtures Contains:							
	Contains:							
	Identification	Concentrati	on (%)	Classification EC 1272/2008 (CLP)				
	ISOTRIDECANOHOL, ETHOXYLATED				Eye Dam. 1 H318 Harmful if swallowed H302			
	CAS (0011 26 5		1-1,5	110111101111111111111111111111111111111				
	CAS 69011-36-5							



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 3 of 10

	CE /						
	Sulphonic acide C14-16(even numbered)-alk hydroxy and C (even numbere alkene, sodium CAS 68439	ane 14-16 d)- salts 9-57-6	0,5-1	Skin Irrit. 2 H315 Eye Dam. 1 H318			
	2,2-dimetil-1,3- CAS 100-7 CE 202-8		0,5-1	Eye Irrit. 2 H319			
		2,3,4,5,6,7,7,8-OCTAIDRO- METIL-2-NAFTALENE	0,5-1	Aquatic Chronic 2 H411 Skin Sens. 1 H317 Skin Irrit. 2 H315			
	2,6-dimethyloc CAS 18479 CE 242-3	9-58-8	0,1 -0,2	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336			
		05-5	0,1 -0,2	Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410			
	VANILLINA CAS 121-3 CE 204-4		0,1 -0,2	Eye Irrit. 2 H319			
	ETHYL VANI CAS 121-3 CE 204-4	LLINE 2-4	0,1 -0,2	Eye Irrit. 2 H319			
	Note: Upper lim	it is not included into the rang g of hazard (H) phrases is give					
ECT1	ON 4. First aid me						
4.1	Description of t			enty of water for at least 15 minutes, opening			
	SKIN	the eyelids fully. If problem persists, seek medical advice. Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/atten immediately. Wash contaminated clothing before using it again.					
	INHALATIO N		he subject stops breathing, add	minister artificial respiration. Get medical			



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 4 of 10

	INGESTION Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.					
4.2	Most important symptoms and effects, both acute and delayed					
	For symptoms and effects caused by the contained substances, see chap. 11.					
4.3	Indication in case of emergency of medical and special treatments					
	Information not available.					
SECT	ON 5. Firefighting measures					
5.1	Extinguishing media					
5.1	SUITABLE Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that EXTINGUISHING has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.					
	UNSUITABLE EXTINGUISHING Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.					
5.2	Special hazards arising from the substance or mixture					
).2	HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.					
	Advice for firefighters					
5.3	GENERAL INFORMATION In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear Remove all containers containing the product from the fire, if it is safe to do so.					
	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).					
SECT	ON 6. Accidental release measures					
5 1	Personal precautions, protective equipment and emergency procedures					
6.1	Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staf and those involved in emergency procedures.					
5.2	Environmental precautions					
,. <u>_</u>	The product must not penetrate into the sewer system or come into contact with surface water or ground water.					
5.3	Methods and material for containment and cleaning up					
	Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.					
5.4	Reference to other sections					
	Any information on personal protection and disposal is given in sections 8 and 13.					
SECT	ON 7. Handling and storage					
	Precautions for safe handling					
7.1	Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation					



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 5 of 10

	vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. A bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and per protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.								
7.2	Conditions for safe st	torage, including	any incompati	bilities					
7.2	Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.								
7.3	Specific end use(s)								
7.5	Information not availa	ble.							
SECTI	ION 8. Exposure control	s/personal protec	tion						
0 1	Control parameters								
8.1	Normative references:								
	Italy	Legislative	Decree 9 April	2008, n.8	1				
	Switzerland	Valeurs lin	nitesd`expositio	n aux post	es de travail 20	12			
	OEL EU	Directive 2	009/161/UE; D	irective 20	006/15/CE; Dire	ective20	04/37/CE; Direct	tive 2000/39/	CE
	TLV-ACGIH	ACGIH 20	14						
	Substance: Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, Sodium salts (CAS Not assigned)						\S		
	ECHA DNEL: Gener						1295 mg/k		
	ECHA DNEL: Gener						45,04 mg/m3		
	ECHA DNEL: General population via oral systemic long-term			1		12,95mg/k			
	ECHA DNEL: Workers via dermal systemic long-term				2158,33 mg/				
		ECHA DNEL: Workers via inhalation systemic long-term 152,22 mg/kg/die							
	PNECs Aquatic: ECHA AQUA/FRESHWATER				0.042 m	σ/1			
							0.042 m		
	AQUA/INTERMIT. RELEASES AQUA/MARINE WATER						0.0042 m	<u> </u>	
	SEDIMENT/FRESH						2.025 mg		
	SEDIMENT/MARINE WATER						0.2025 mg		
	STP						4 mg/		
	PNECs Terrestrial: ECHA						g		
	soil					0.0061 mg/kg			
	Legend: (C) = CEILING; INALAB = Inhalable Fraction; RESPIR = Respirable Fraction; TORAC = Thoracic Fraction. VND = identified hazard but no DNEL/PNEC available; NEA = no anticipated exposure; NPI = no identified hazard.								
0.2	Exposure controls								
8.2	As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station.								
	HAND PROTECTION When handling 374-1/EN374-2/EN37	the pure 4-3).	product,	use	chemical-res	istant	protective	gloves	(EN
	SKIN PROTECTION Wear category II profe 20344). Wash body w RESPIRATORY PR	essional long-sleevith soap and water OTECTION	after removing	protective	e clothing.				

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 6 of 10

mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties.

Information on basic physical and cher	nical properties
Appearance	
11	SCENTED FRAGRANCES
Odour threshold	
	7,0± 0.1
Melting point / freezing point	
Initial boiling point or boling range	
Flash point	> 60 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/ Lower inflammability or	Not available.
explosive limit	
Vapour pressure	Not available.
Vapour density	
Relative density	Not available.
	Solubility in water
Partition coefficient: n-octanol/water	Not available.
\mathcal{E}	Not available.
1 1	Not available
Viscosity	Not available.
	Not available.
Oxidising properties	Not available.
Other information	
VOC (Directive 1999/13/CE)	Not available.

SECTION 10. Stability and reactivity.

22011	or row submy and reasoning					
10.1	Reactivity					
	There are no particular risks of reaction with other substances in normal conditions of use.					
10.2	Chemical stability					
	The product is stable in normal conditions of use and storage.					
10.3	Possibility of hazardous reactions.					
	No hazardous reactions are foreseeable in normal conditions of use and storage.					
	Conditions to avoid.					



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 7 of 10

10.4	None in particular. However the usual precautions used for chemical products should be respected.						
10.5	Incompatible materials. Information not available.						
10.6							
	Information not available.						
SECTI	ON 11. Toxicological information						
11.1	Information on toxicological effects						
	In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of th substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product. Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the area which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousnes and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness ulcerations and skin thickening prevail during the chronic phase. This product contains sensitizing substance/s and may cause allergic reactions.						
	Toxicological information about component	ent substan	ces:				
	Substance: ISOTRIDECANOHOL, ETHOXYLATED LD50 (Oral) 500 mg/kg (ATE)						
	Substance: Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, Sodium Salt LD50 (Oral) 2079 mg/Kg Rat LD50 (Dermal) 6300 mg/kg Rabbit LD50 (inhalation) > 52 mg/kg						
	ON 12. Ecological information.						
This pro	oduct is dangerous for the environment and the	he aquatic	organisms with lo	ong term negative effect	s on the aquatic environment.		
12.1	Toxicity						
	Sulfonic acids, C14-16 (even	LC50	Fish	4,2 mg/l/96h			
	numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, Sodium Salt	EC50 EC50	Dafnie Algae	4,53 mg/l/48h 5,2 mg/l/72h	Daphnia magna		
12.2	Persistence and degradability Information not available						
12.3	Bioaccumulative potential						
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2-benzo	pyran	Partition coef	fficient: n-octanol/water:	: 2		
12.4	Mobility in soil Information not available.						
12.5	Results of PBT and vPvB assessments On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.						



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 8 of 10

12.6	Oth on a large of cate							
12.0	Other adverse effects Information not available							
SECTI	ON 13. Disposal considerations.							
13.1	Waste treatment methods.							
	this product should be evaluated accord	ing to applicable regulations.	irm, in compliance with national and local					
	CONTAMINATED PACKAGING	Contaminated packaging must be rec national waste management regulation	covered or disposed of in compliance with ons.					
SECTI	ON 14. Transport information.							
14.1	UN number							
	Not applicable.							
14.2	UN proper shipping name Not applicable.							
14.3	Transport hazard class(es)							
	Not applicable.							
14.4	Packing group.							
	Not applicable.							
14.5	Environmental hazards							
	Not applicable.							
146	Special precautions for user							
14.6	Not applicable.							
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Information not relevant.							
SECTI	ON 15. Regulatory information							
15.1		ulations/logislation specific for the su	hetana au mirtuus					
13.1	Safety, health and environmental reg Seveso Category	utations/legistation specific for the st	None					
	Restrictions on the product or substance							
	(EC) 1907/2006	Point 3						
	Substances in Candidate List (Art. 59 R	None						
	Substances subject to authorization (Ex	None						
	Substances subject to export notification	None						
	Substances subject to the Rotterdam Co	None						
	Sostanze soggette alla Convenzione di	None						
	Health Checks	Workers exposed to this chemical ag that available risk-assessment data	gent must not undergo health checks, provided prove that the risks related to the workers' t the 98/24/EC directive is respected.					
	Ingredients in accordance with CE Regulation N.648/2004		d anionic surfactants; Between 5% and 15%					



Review n. 1 Date review 09/11/22 Printed il 09/11/22 Page 9 of 10

	1 age 3 of 10							
	Methylchloroisothiazolinone And Methylisothiazolinone (CAS 55965-84-9)							
	The surfactant(s) contained in this preparation is (are) in compliance with with the biodegradability criteria established by Regulation (EC) Nr . 648/2004 of detergents.							
Chemical safety assessme	ent							
·	ment has been processed for the mixture and the substances it contains.							
TION 16. Other information								
Text of hazard (H) indications mentioned in section 2-3 of the sheet:								
Flam. Liq. 3	Flammable liquid, category 3							
Flam. Sol. 1	Flammable solid, category 1							
Acute Tox. 4	Acute toxicity, category 4							
Asp. Tox. 1	Aspiration hazard, category 1							
Eye Irrit. 2	Eye irritation, category 2							
Skin Irrit. 2	Skin irritation, category 2							
Skin Sens. 1	Skin sensitization, category 1							
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1							
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1							
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2							
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3							
H226	Flammable liquid and vapour.							
H228	Flammable solid.							
H302	Harmful if swallowed.							
H304	May be fatal if swallowed and enters airways.							
H312	Harmful in contact with skin							
Н332	Harmful if inhaled.							
H318	Causes serious eye injuries.							
Н319	Causes serious eye irritation.							
H315	Causes skin irritation.							
Н317	May cause an allergic skin reaction.							
H400	Very toxic to aquatic life.							
H410	Very toxic to aquatic life with long lasting effects.							
H411	Toxic to aquatic life with long lasting effects.							
H412	Harmful to aquatic life with long lasting effects.							
Legend:	Legend:							
	-ADR: European Agreement concerning the carriage of Dangerous goods by Road							
- CAS NUMBER: Chemic	- CAS NUMBER: Chemical Abstract Service Number							
- CE50: Effective concentr	- CE50: Effective concentration (required to induce a 50% effect)							
-CE NUMBER: Identifier in ESIS (European archive of existing substances)								
- CLP: EC Regulation 1272	2/2008							
	- DNEL: Derived No Effect Level							
- EmS: Emergency Schedu	- EmS: Emergency Schedule							
	zed System of classification and labelling of chemicals							
	l Air Transport Association Dangerous Goods Regulation							
- IC50: Immobilization Co	ncentration 50%							
	ritime Code for dangerous goods							
IMO I do and a 1M de								

- IMO: International Maritime Organization



Review n. 1 **Date review** 09/11/22 **Printed** il 09/11/22

Page 10 of 10

- INDEX NUMBER: Identifier in Annex VI of CLP

LC50: Lethal Concentration 50%

LD50: Lethal dose 50%

- OEL: Occupational Exposure Level

PBT: Persistent bioaccumulative and toxic as REACH Regulation

- PEC: Predicted environmental Concentration

- PEL: Predicted exposure level

PNEC: Predicted no effect concentration

REACH: EC Regulation 1907/2006

- RID: Regulation concerning the international transport of dangerous goods by train

TLV: Threshold Limit Value

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

TWA STEL: Short-term exposure limit

TWA: Time-weighted average exposure limit

- VOC: Volatile organic Compounds

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY:

- Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- P. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (UE) 707/2023 of the European Commission
- 11. Regulation (UE) 878/2020 of the European Commission
- 12. The Merck Index. 10th Edition
- 13. Handling Chemical Safety
- 14. INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- 16. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 17. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.